



profiltra
customized solutions



PIGMENTS FOR PLASTICS



PLASTICS

Our portfolio consists of below mentioned organic pigments for the plastic industry.

CI Pigments No.	Heat Stability	Fastness to Migration	Light Fastness full shade	Light fastness tint shade	LL/ LDPE	HDPE	PP	PVC-S	PVC-R	PS	ABS	POM	PMMA	PA 6	PC	PET	Rubber
PB15.1	280	5	8	8	s	m	m	m	m	m	l	s	m	s	s	s	m
PB15.3	280	5	8	8	s	m	m	m	m	m	s	m	m	s	l	m	m
PG7	300	5	8	8	m	m	m	m	m	m	m	m	m	l	s	l	m
PO64	300	5	8	7 - 8	m	m	m	m	m	m	m	m	s		s		s
PR122	300	5	8	8	m	m	m	m	m	m	m	s	s	s	s	s	m
PR170	260	4 - 5	7 - 8	7	m	m	m	s	s								
PR242	300	5	7 - 8	7	m	m	m	m	m	m	m	m			m	m	m
PR254	300	5	8	8	m	m	m	m	m	s	s	m					s
PV19	300	5	8	8	m	m	m	m	m	m	m	s	s	s	s	s	m
PV23	280	4	8	7 - 8	m	m	m	m	m	m				s			m
PY139	260	5	8	7 - 8	m	s	m	m	s								m
PY180	290	5	7 - 8	6 - 7	m	m	m	m	m	m	m	m	m		m	s	m
PY183	300	5	7	6	m	m	m	m	m	m	m		m		s	s	
PY191	300	5	7	6 - 7	m	m	m			m	m	l			m		m

Heat stability: tested in accordance to DIN 12877
 Migration stability: tested in accordance to DIN 14469-4
 Light fastness: tested in accordance to ISO 4892

m = main application
 s = suitable
 l = limited suitable